

E	N	C	N	N	N	N	C	N	N	N
F	N	C	N	N	N	N	C	N	N	N
J	N	N	N	N	N	N	N	N	N	N
M	N	C	N	N	N	N	C	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

Note 1: Required when the AN field is *not populated* and the request is for Partial Migration, Subsequent Partial Migration, or Subsequent FULL Migration (see Summary for definitions).

Note 2: If this field is populated and NPT = D (LNP), this field will indicate where listings/loop is to be added or established.

Note 3: Prohibited when the AN field is populated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

CC - Company Code

This field identifies the Exchange Carrier requesting the service.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Valid Entries: A four alpha numeric character code structure for all Exchange Carriers in North America and

A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 6 alpha/numeric characters

SLOT - Slot

This field identifies the customer's specific connection slot to be used in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 6 alpha/numeric characters

RELAY RACK - Relay Rack

This field identifies the customer's bay/cabinet in a collocation arrangement and may also include the floor and aisle where the specific piece of equipment is located.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	C	N	N	C*

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 10 alpha/numeric characters

CHAN/PAIR - Channel Pair

This field identifies the specific channel or pair within the provider's cable to be used for connection in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This field is populated when the customer has assignment control in a collocation arrangement.

Note 2: (REQTYP = A or B, NON-Designed Loops) Required for *at least* one REFNUM on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 5 alpha/numeric characters

OTN - Out Telephone Number

This field identifies the existing telephone number that is being changed.

Usage:

break

break	ACTIVITY TYPE (LINE LEVEL)								
REQTYP	A	C	D	R	V	W	Y	L	P9
A	O	O	O	N	O	O	N	N	N
E	N	O	N	N	O	N	N	N	N
F	N	O	N	N	O	N	N	N	N
M	N	O	N	N	O	N	N	N	N

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

REMARKS - Remarks

This field freeform and may be used to describe or clarify other data on this order.

This field identifies the circuit number assigned by the customer.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
E	O	O	O	O	O	N	O	N	N	N
F	O	O	O	O	O	N	O	N	N	N
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 36 alpha/numeric characters

INPORD - Interim Number Port Ord No

This field identifies the provider's order number for the INP requested.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*

* - NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 2: Data on the FOC/CN will be obtained from the "ORD" field on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 7 to 20 alpha/numeric characters

SYSTEM ID - System Identification

This field identifies the customer's system to be used in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	O	O	O	O	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 5 alpha/numeric characters

CABLE ID - Cable Identification

This field identifies the provider's central office cable to be connected to the customer's collocated equipment.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This field is populated when the customer has assignment control in a collocation

Note 2: (REQTYP = A or B, NON-Designed Loops) Required for *at least* one REFNUM on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 5 alpha/numeric characters

SHELF - Shelf

This field identifies the number assigned to the customer's shelf to be used in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W

M	O	O	O	O	O	N	O	O	O	N
---	---	---	---	---	---	---	---	---	---	---

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

Note 1: (REQTYP A or B) For manual coordination of SL1 Non-Designed , the CHC = Y and DFDT can be blank.

Note 2: (REQTYP C) If any data is entered in this field, it will not be acknowledged.

Note 3: Indicates the window for cut-over when CHC is populated.

Note 4: The time will reflect the local time of the end user location(s).

Valid Entry: Y = Yes

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha character

DSGCON - Design Engineering Contact

This field identifies the CLEC's employee or agent that should be contacted on Design/ Engineering matters.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O****	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	N	N	N	N	N	N	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

CKR - Customer Circuit Reference

length.

101.T1.NYCMNY50.NYCMNY54W01

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 36 alpha/numeric characters

CFA - Connecting Facility Assignment

This field identifies the provider carrier system and channel to be used.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	O	O	O	O	N	O	N	N	O*
C	O	O	O***	O	O	N	O	N	N	O*
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: The range of assignments should be provided on the DLR during the provisioning of the service. The customer specifies the particular carrier system and channel or channels to be utilized.

Note 2: All elements entries of the Connecting Facility Assignment are left justified with no trailing spaces.

Note 3: This field is populated when utilizing Hi-Cap facilities and the customer has assignment control.

Note 4: CFA is required when customer is served from a Foreign Serving Wire Center.

break

Valid Entries:

The Facility Identification consists of the following elements.

The Facility Designation which uniquely identifies a particular facility type between two terminal locations (variable length, 1 - 5 characters).

If Facility Designation is not 5 characters, use ' space bar on keyboard ' to fill character length limit.

break

The Facility Type which is usually identified through the use of a code set found in the Bellcore Practice BR 795-450-100 (variable length, 1 - 6 characters)

If Facility Type is not 6 characters, use ' space bar on keyboard ' to fill character length limit.

break

The Channel/Pair number of the facility that is being used to provide the service (variable length, 1 - 5 characters)

If FacilityChannel/Pair is not 5 characters, use ' space bar on keyboard ' to fill character length limit.

break

The "A" Location, which is the location of the facility termination that has the lower alpha/numeric CLLI code.

No unique 'spacing' necessary.

break

The "Z" Location, which is the location of the facility termination that has the higher alpha/numeric CLLI code.

No unique 'spacing' necessary.

break

Spaces () are used as delimiters to separate the different elements of the CFA.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 36 alpha/numeric characters

Example: 5014 T1ZF 1 ORLDFLMAK99 ORLDFLMAWAG

L-ORD - Loop Order Number

This field identifies the provider's order number for the loop service requested.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	R
B	N	N	N	N	N	N	R	N	N	R*

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This number may be pre-assigned by the provider.

Note 2: Data on the FOC/CN will be obtained from the ORD field on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 7 to 20 alpha/numeric characters

PORTED - Ported Telephone Number

This field identifies the telephone number to be retained or ported.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
B	N	N	N	N	N	N	R	N	N	R*

V = Loop with INP and Usage

W = Loop with INP

Z = INP with Usage

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha character

BAN2 - Billing Account Number 2

This field identifies the billing account to which the recurring and non-recurring charges for the request will be billed.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	C	C	C	C	C	N	C	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	C***	N	N	N	C	N	N	C*
D**	N	N	C	N	N	N	N	N	N	N
E	C	C	C	C	C	N	C	C	C	C
F	C	C	C	N	N	N	C	C	C	N
J	C	N	C	N	N	C	N	N	N	N
M	C	C	C	C	C	N	C	C	C	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: The BAN entry appearing in this section must be for the provider identified in the SC field.

Note 2: When entering the BAN, the three digit customer code following the billing number must also be entered.

Note 3: Use of valid entry of 'E' is based on customer negotiations.

Note 4: Required when the BI2 field is populated, otherwise optional.

Valid Entries:

break

Valid Account Number = New Billing Account Number Requested

E = Existing

C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha or 13 alpha/numeric characters

ECCKT - Exchange Company Circuit ID

This field identifies the provider's circuit identification.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
E	O	O	O	O	O	N	O	O	O	O

* - NPT must = D (LNP), otherwise prohibited.

Note 1: The format of the field is defined by the provider.

Note 2: All components within the ID **must** be delimited by periods (.) .

Note 3: The layout of the field is defined by the COMMON LANGUAGE standards.

Note 4: When a component of CLT, CLS, and CLF is purposely omitted, the component should still be delimited and compressed to eliminate any spaces.

Note 5: If all positions in a component of CLT, CLS and CLF are not populated, the component should be compressed to eliminate any spaces.

Note 6: (REQTYP = A) For Designed Loops, an entry in the ECCKT field; is *disallowed* when the ACT = C and LNA = A, otherwise required.

Valid Entries:

TELEPHONE NUMBER FORMAT:

Prefix.Service Code.and modifier. NPA.NXX.XXXXX.Terminal Number (if applicable). This format may be up to 30 characters in length.

A2.SBFS.201.981.3500.800.123.4567

break

SERIAL NUMBER FORMAT:

Prefix.Service Code and Modifier.Serial Number.Suffix code.AP code.segment name (if applicable). This format may be up to 27 characters in length.

A2.LBFS.032719.001.NY

break

FACILITY ID FORMAT:

Facility Designation.Facility Type.office A location.office Z location. This format may be up to 36 characters in

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	C	D	M	T	R	V	SS	RS	W	
A	R	R	R	R	R	N	R	N	N	N	
B	N	N	N	N	N	N	R	N	N	R*	
C	N	R	R***	N	N	N	R	N	N	R*	
D**	N	N	R	N	N	N	N	N	N	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	N	N	N	R	R	R	N	
J	R	N	R	N	N	R	N	N	N	N	
M	R	R	R	R	R	N	R	R	R	N	

* - NPT must = D (LNP), otherwise prohibited.

** To be Developed

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Data mechanically generated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

FDT - Frame Due Time

This field identifies the frame cutover time.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	C	D	M	T	R	V	SS	RS	W	
A	R	R	R	R	R	N	R	N	N	N	
B	N	N	N	N	N	N	R	N	N	R*	
C	N	R	R***	N	N	N	R	N	N	R*	
D**	N	N	R	N	N	N	N	N	N	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	N	N	N	R	R	R	N	
J	N	N	N	N	N	N	N	N	N	N	
M	R	R	R	R	R	N	R	R	R	N	

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Data will be mechanically generated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 35 alpha/numeric characters

BI2 - Billing Account Number Identifier 2

This field identifies the service type of the Billing Account Number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	C	C	C	C	C	N	C	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	C***	N	N	N	C	N	N	C*
D**	N	N	C	N	N	N	N	N	N	N
E	C	C	C	C	C	N	C	C	C	C
F	C	C	C	N	N	N	C	C	C	N
J	C	N	C	N	N	C	N	N	N	N
M	C	C	C	C	C	N	C	C	C	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Required when *more than one* BAN field (ie: BAN1 and BAN2) is populated, otherwise optional.

Valid Entries:

- A = All services on this request
- D = Directory Listings
- L = Loop
- M = Network Combinations
- N = Interim Number Portability
- P = Port
- R = Resale
- U = Usage

Note 3: Prohibited when the AN field is populated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

CC - Company Code

This field identifies the Exchange Carrier requesting the service.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Valid Entries: A four alpha numeric character code structure for all Exchange Carriers in North America and certain US territories maintained by NECA (National Exchange Carrier Association).

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 alpha/numeric characters

ORD - Order Number

This field identifies the provider's order number for the service requested.

Usage:

break

break	ACTIVITY TYPE (LINE LEVEL)								
REQTYP	A	C	D	R	V	W	Y	L	P9
E	O	O	O	N	O	O	O	O	O

F	O	O	O	N	O	N	O	O	O
J	O	N	O	N	N	N	N	N	N
M	O	O	O	N	O	N	O	O	O

Note: This number may be pre-assigned to the customer by the provider.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 7 to 20 alpha/numeric characters.

REP - Provider Contact Representative

This field identifies the contact representative for the provider of service.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Data mechanically generated.

Valid Entries: LCSC

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 alpha characters

REP TEL NO. - Provider Contact Representative Telephone Number

This field identifies the provider's telephone number for the service requested.

Usage:

break

telephone number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 or 13 alpha/numeric characters

AN - Account Number

This field identifies the new *or* existing main account number for the new LSP (the number where the data will "migrate to"). It is a non-dialable, non-standard number (ie: miscellaneous account number).

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	N	N	N	N	C	N	N	C*
D**	N	N	N	N	N	N	N	N	N	N
E	N	C	N	N	N	N	C	N	N	N
F	N	C	N	N	N	N	C	N	N	N

J	N	N	N	N	N	N	N	N	N	N
M	N	C	N	N	N	N	C	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

Note 1: Required when the ATN field is *not populated* and the request is for Partial Migration, Subsequent Partial Migration, or Subsequent FULL Migration (see Revisions Summary Release 4.2 for definitions).

Note 2: If this field is populated and NPT = D (LNP), this field will indicate where listings/loop is to be added or established.

Note 3: Prohibited when the ATN field is populated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics:10 or 13 alpha/numeric characters

ATN - Account Telephone Number

This field identifies the new *or* existing main account number for the new LSP (the number where the data will "migrate to"). It is a **dialable** telephone number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	N	N	N	N	C	N	N	C*
D**	N	N	N	N	N	N	N	N	N	N
E	N	C	N	N	N	N	C	N	N	N
F	N	C	N	N	N	N	C	N	N	N
J	N	N	N	N	N	N	N	N	N	N
M	N	C	N	N	N	N	C	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

Note 1: Required when the AN field is *not populated* and the request is for Partial Migration, Subsequent Partial Migration, or Subsequent FULL Migration (see Summary for definitions).

Note 2: If this field is populated and NPT = D (LNP), this field will indicate where listings/loop is to be added or established.

P	Port
R	Resale
U	Usage

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha character

STATIONS

This field identifies the total number of station(s) being activated and the range by using the PX Extension Identifier.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	N	N	N	N	N	N	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 9 alpha/numeric

Example:

break

graphic: id=g599 filename=gleoo001.599

Graphic file does not exist or is not permitted:
'gleoo001.599'

BAN1 - Billing Account Number 1

This field identifies the billing account to which the recurring and non-recurring charges for this request will be

billed.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To Be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: The BAN entry appearing in this section must be for the provider identified in the SC field.

Note 2: When entering the BAN, the three digit customer code following the billing number must also be entered.

Note 3: Use of valid entry of ' E ' is based on customer negotiations.

Valid Entries:

break

Valid Billing Account Number

E = Existing

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha or 13 alpha/numeric characters

Example:

break

graphic: id=g601 filename=gleoo001.601

Graphic file does not exist or is not permitted:
'gleoo001.601'

LOCBAN - Local Billing Account Number (Main Account Number)

This field identifies the end user's billing account number which may also be the end user local exchange

Graphic file does not exist or is not permitted:
'gleoo001.592'

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 numeric characters

Example:

break

graphic: id=g593 filename=gleoo001.593

Graphic file does not exist or is not permitted:
'gleoo001.593'

EBD - Effective Bill Date

This field identifies the effective date billing is to cease for disconnect activity whenever the billing date is *different* from the desired due date.

Usage:

break

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	O	N	O	N	N	O	N	N	N	N
M	N	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Must be a valid date.

Valid Entries:

break

graphic: id=g595 filename=gleoo001.595

Graphic file does not exist or is not permitted:
'gleoo001.595'

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 6 numeric characters

Example:

break

graphic: id=g596 filename=gleoo001.596

Graphic file does not exist or is not permitted:
'gleoo001.596'

B11 - Billing Account Number Identifier 1

This field identifies the service type of the Billing Account Number.

Usage: This field is conditional.

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	C	C	C	C	C	N	C	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	C***	N	N	N	C	N	N	C*
D**	N	N	C	N	N	N	N	N	N	N
E	C	C	C	C	C	N	C	C	C	C
F	C	C	C	N	N	N	C	C	C	N
J	C	N	C	N	N	C	N	N	N	N
M	C	C	C	C	C	N	C	C	C	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Required when more than one BAN field (i.e., BAN1 and BAN2) is populated, otherwise optional.

Valid Entries:

break

D	Directory Listings
L	Loop
M	Network Combinations
N	Interim Number Portability (INP)

C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 numeric characters

Example:

break

graphic: id=g581 filename=gleoo001.581

Graphic file does not exist or is not permitted:
'gleoo001.581'

DD - Due Date

This field identifies the customer's due date.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 6 numeric characters

Example:

break

graphic: id=g584 filename=gleoo001.584

Graphic file does not exist or is not permitted:
'gleoo001.584'

EBD-CC - Effective Bill Date Century Code

This field identifies the Effective Date Century Code when billing is to cease for disconnect activity whenever the billing date is different from the due date.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	C	C	C	C	C	N	C	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	C***	N	N	N	C	N	N	C*
D**	N	N	C	N	N	N	N	N	N	N
E	C	C	C	C	C	N	C	C	C	C
F	C	C	C	N	N	N	C	C	C	N
J	C	N	C	N	N	C	N	N	N	N
M	N	C	C	C	C	N	C	C	C	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: Required when EBD field is populated.

Note 2: Must be current or future century.

Valid Entries:

break

graphic: id=g592 filename=gleoo001.592

TWO DIGIT YEAR (YY)	00 - 99
TWO DIGIT MONTH (MM)	01 - 12
TWO DIGIT DAY (DD)	01 - 31

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 6 numeric characters

Example:

break

graphic: id=g574 filename=gleoo001.574

Graphic file does not exist or is not permitted:
'gleoo001.574'

INIT - Contact Name

This field identifies CLEC's representative who originated the request to BellSouth.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: This is the person who should be contacted if there are any questions regarding this request. Any authorization of charges or changes are the responsibility of this person.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

INIT-TEL NO. - Telephone Number

This field identifies the telephone number of the CLEC's initiators telephone number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric to 15 alpha/numeric characters

Example:

break

graphic: id=G578 filename=GLE0001.578

Graphic file does not exist or is not permitted:
'GLE0001.578'

DD-CC - Due Date Century Code

This field identifies the century of the due date on the LSR.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	O	N	O	N	N	O	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 20 alpha/numeric characters

CD/SENT-CC - Confirmation Date Sent-Century

This field identifies the century of the date the FOC was sent by BellSouth to the CLEC.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

break

graphic: id=g570 filename=gleoo001.570

Graphic file does not exist or is not permitted:
'gleoo001.570'

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 numeric characters

Example:

break

graphic: id=g571 filename=gleoo001.571

Graphic file does not exist or is not permitted:
'gleoo001.571'

CD/SENT - Confirmation Date Sent

This field identifies the date the FOC was sent by BellSouth to the CLEC.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Valid Entries: Metric Format

Note 1: The PON may be reused after two years from the due date of the original request.

Note 2: Virgules (/) and Spaces [] are invalid in PON field.

Note 3: Lower case characters are invalid characters for PON.

Valid Entries:

UPPER CASE alpha (A - Z)

numeric (0 - 9)

symbols, limited to:

period (.)

comma (,)

hyphen (-)

apostrophe (')

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 16 alpha/numeric characters

VER - Version Identification

This field identifies the customer's version number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	C	C	C	C	C	N	C	N	N	N
B	N	N	N	N	N	N	C	N	N	C*
C	N	C	C***	N	N	N	C	N	N	C*
D**	N	N	C	N	N	N	N	N	N	N
E	C	C	C	C	C	N	C	C	C	C
F	C	C	C	N	N	N	C	C	C	N
J	C	N	C	N	N	C	N	N	N	N
M	C	C	C	C	C	N	C	C	C	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: VER *must be spaces* (use spacebar key) for 850's.

Note 2: On a reissuance (supplement), this field is populated to uniquely distinguish this LSR from any other version.

Note 3: Required for SUPs.

Note 4: VER must be two numerics (01 or greater), for 860's.

Note 5: VER must be greater than previous version.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 numeric characters

LSR NO. - Local Service Request Number

This field identifies the number that may be generated by the provider's mechanized systems, pre-assigned to the customer by the provider, or manually assigned by the provider to identify a customer's request for service.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	N	N	N	N	N	N	N	N	N	N
C	N	N	N	N	N	N	N	N	N	N
D**	N	N	N	N	N	N	N	N	N	N
E	N	N	N	N	N	N	N	N	N	N
F	N	N	N	N	N	N	N	N	N	N
J	N	N	N	N	N	N	N	N	N	N
M	N	N	N	N	N	N	N	N	N	N

**To be Developed.

Note: Automatically BellSouth system generated.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 18 alpha/numeric characters

Example:

break

graphic: id=g567 filename=gleoo001.567

Graphic file does not exist or is not permitted:
'gleoo001.567'

RORD - Related Order Number

This field identifies a related provider order number.

Usage:

ATN
 CC
 ORD
 REP
 REP TEL NO.
 FDT
 BI2
 BAN2
 ECCKT
 CFA
 L-ORD
 PORTED
 RTI
 CHC
 DSGCON
 CKR
 INPORD
 SYSTEM ID
 CABLE ID
 SHELF
 SLOT
 RELAY RACK
 CHAN/PAIR
 OTN
 REMARKS
 REFNUM
 TN (Ported)
 TN
 TER

CN — CompletionNotice Entries

CCNA - Customer Carrier Name Abbreviation

This field identifies the Common Language IAC code for the customer submitting the LSR and receiving confirmation. This code is assigned and provided by Telcordia Technologies (formerly known as BellCore) prior to the submission of a Local Service Request.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	O	N	N	N	N	N	N	N

E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	O	N	O	N	N	O	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: For an occasional customer who has not and probably will not obtain a CCNA, enter CUS in this field and customer name (maximum 25 characters) in the CUST field.

Note 2: An entry of "CUS" requires an entry in the CC field when the customer has an industry assigned company code. The billing responsibility is specified in the ACNA field.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 3 alpha characters

PON - Purchase Order Number

This field identifies the customer's unique purchase order requisition number that authorized the issuance of this request or supplement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

TN - Telephone Number

This field identifies the telephone number for this service request. Ranging of telephone numbers is not allowed.

Usage:

break

break R	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
B	N	N	N	N	N	N	R	N	N	R*
F	R	R	R	R	R	N	R	R	R	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

TER - Terminal Number

This field identifies the terminal number for this service request.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
F	O	O	O	O	O	N	O	O	O	N
M	N	N	N	N	N	N	N	N	N	N

Note 1: When TER is used the lead telephone number is also entered in the TN field.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 numeric characters

CMP - Completion Notice

General

This guide describes Completion notice (CMP) requirements. The CMP is currently generated when a service order is completed and is error free.

This document provides current definitions used by BellSouth in providing the CMP notifications.

CN — Completion Notice Description

The Completion notification provides the customer with the information required for control and tracking of request(s).

BST will send 14 characters from LEO and 10 characters from LNP Gateway.

break

Local Exchange Ordering (LEO) guidelines incorporate the following requirements for the population of fields.

break

Conditional (C) is defined as the *field is dependent upon the relationship to another entry as specified in the usage statement and is dependent upon the presence, absence or combination of other data entries.*

Optional (O) is defined as the field *may or may not* be populated.

Prohibited (P) is defined as the field *may never* be populated.

Required (R) is defined as the field *MUST* be populated.

Not Applicable (N) is defined as the *field that will not be used* if populated.

Alpha/numeric field is designed to describe the type of valid entries. If a numeric field is prohibited it should be left blank.

Field Arrangement

The fields in the CMP Section are arranged as follows:

CCNA
PON
VER
LSR NO.
RORD
CD/SENT-CC
CD/SENT
INIT
INIT TEL NO.
DD-CC
DD
EBD-CC
EBD
BII
STATIONS
BANI
LOCBAN
AN

This field identifies the existing telephone number that is being changed.

Usage:

break

break	ACTIVITY TYPE (LINE LEVEL)								
REQTYP	A	C	D	R	V	W	Y	L	P9
A	O	O	O	N	O	O	N	N	N
E	N	O	N	N	O	N	N	N	N
F	N	O	N	N	O	N	N	N	N
M	N	O	N	N	O	N	N	N	N

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

REMARKS - Remarks

This field identifies a free flowing field which can be used to expand upon and clarify other data on this order.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	O	N	O	N	N	O	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Virgules (/) are not allowed.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 240 alpha/numeric characters

REFNUM - Reference Number

This field uniquely identifies one or more activities (ie: lines, trunks, listings, hunting arrangements).

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: The REFNUM is customer assigned.

Note 2: The values are to be assigned consecutively and must be unique throughout the current request at the TN level.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 numeric characters

TN (Ported) - Telephone Number (Ported)

This field identifies the telephone number to be retained or ported.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
C	N	R	R***	N	N	N	R	N	N	R*

* - NPT must = D (LNP), otherwise prohibited.

M	N	N	N	N	N	N	N	N	N	N
---	---	---	---	---	---	---	---	---	---	---

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This field is populated when the customer has assignment control in a collocation.

Note 2: (REQTYP = A or B, NON-Designed Loops) Required for *at least* one REFNUM on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 5 alpha/numeric characters

SHELF - Shelf

This field identifies the number assigned to the customer's shelf to be used in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 6 alpha/numeric characters

SLOT - Slot

This field identifies the customer's specific connection slot to be used in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	N	O	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 6 alpha/numeric characters

RELAY RACK - Relay Rack

This field identifies the customer's bay/cabinet in a collocation arrangement and may also include the floor and aisle where the specific piece of equipment is located.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*

* - NPT must = D (LNP), otherwise prohibited.

Note: This field is populated when the customer has assignment control in a collocation arrangement.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics:Up to 10 alpha/numeric characters

CHAN/PAIR - Channel Pair

This field identifies the specific channel or pair within the provider's cable to be used for connection in a collocation arrangement.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
M	N	N	N	N	N	N	N	N	N	N

* - NPT must = D (LNP), otherwise prohibited.

Note 1: This field is populated when the customer has assignment control in a collocation arrangement.

Note 2: (REQTYP = A or B, NON-Designed Loops) Required for *at least* one REFNUM on the LSR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 5 alpha/numeric characters

OTN - Out Telephone Number

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	N	O	N	N	N
B	N	N	N	N	N	N	O	N	N	O*
C	N	O	O***	N	N	N	O	N	N	O*
D**	N	N	O	N	N	N	N	N	N	N
E	O	O	O	O	O	N	O	O	O	O
F	O	O	O	N	N	N	O	O	O	N
J	O	N	O	N	N	O	N	N	N	N
M	O	O	O	O	O	N	O	O	O	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Virgules (/) are not allowed.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 240 alpha/numeric characters

REFNUM - Reference Number

This field uniquely identifies one or more activities, e.g. lines, trunks, listings, hunting arrangements.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	R	R	R	R	R	N	R	N	N	N
B	N	N	N	N	N	N	R	N	N	R*
C	N	R	R***	N	N	N	R	N	N	R*
D**	N	N	R	N	N	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N

J	R	N	R	N	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: The REFNUM is customer assigned.

Note 2: The values are to be assigned consecutively and must be unique throughout the current request at the TN level.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 numeric characters

TN (Ported) - Telephone Number (Ported)

This field identifies the telephone number to be retained or ported.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
C	N	R	R***	N	N	N	R	N	N	R*

* - NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

TN - Telephone Number

This field identifies the telephone number for this service request. Ranging of telephone numbers is not allowed.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
B	N	R	R	N	N	N	R	N	N	R*
F	R	R	R	N	N	N	R	R	R	R
M	R	R	R	R	R	N	R	R	R	N

Jeopardy

General

This guide describes the Local Service Request (LSR) Jeopardy requirements. Jeopardies are generated when the Due Date on a service order is missed. When a service order is jeopardized, the CLEC must negotiate a new due date with the end user and then send an 860 to BellSouth to reflect the new due date.

This document provides current definitions used by BellSouth Telecommunications in providing the Jeopardy notification.

Jeopardy Description

The Jeopardy notification provides the customer with the information required for obtaining a new due date for the provisioning of local service. BellSouth Telecommunications (BST) will use the 855 and 865 EDI Transaction Set to mechanically notify CLECs about due date jeopardies caused by, or related to, subscribers.

The TRAN-SET-PURPOS-CD of the 855/865 FOC will be populated with "21" = jeopardy.

The Jeopardy indicator in LEO will be "J".

LEO will handle tracking of jeopardies the same as "FOC/CMP" tracking is currently handled.

* - NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

TER -Terminal Number

This field identifies the terminal number for this service request.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
F	O	O	O	O	O	N	O	O	O	N
M	N	N	N	N	N	N	N	N	N	N

Note: When TER is used the lead telephone number is also entered in the TN field.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 4 numeric characters